



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2025011002811398

**NAME AND ADDRESS OF THE APPLICANT**

Guangdong Ground-Space Intelligent Technology Co., Ltd.  
6th Floor, No.13 Tongfu South Road, Tongyi Industrial Park, Guzhen Town, Zhongshan City

**NAME AND ADDRESS OF THE MANUFACTURER**

Guangdong Ground-Space Intelligent Technology Co., Ltd.  
6th Floor, No.13 Tongfu South Road, Tongyi Industrial Park, Guzhen Town, Zhongshan City

**NAME AND LOCATION OF THE FACTORY**

Guangdong Ground-Space Intelligent Technology Co., Ltd.  
6th Floor, Building 2, No. 13 Tongfu South Road, Tongyi Industrial Park, Guzhen Town, Zhongshan City

**PRODUCT NAME,MODEL AND SPECIFICATION**

A.C. Supplied Electronic Controlgear For LED Modules ( Independent, Constant Current Mode, SELV, Non-port Control Dimmable, ta:45°C, tc:85°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material )  
See Appendix. 220-240V ~ 50/60Hz

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

**Valid from:** Sep.15,2025

**Valid until:** Sep.14,2030

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



**SIGNATURE:**

谢肇煦



**中国质量认证中心**  
CHINA QUALITY CERTIFICATION CENTRE

**CHINA QUALITY CERTIFICATION CENTRE CO., LTD.**





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 1 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

| 序号 | 型号                        | 输出电压<br>(VDC) | 最大工<br>作电 压<br>Uout<br>(VDC) | 最大输<br>出功率<br>(W) | 输出电流(mA)<br>(拨码开关可调<br>输出电流档位) |
|----|---------------------------|---------------|------------------------------|-------------------|--------------------------------|
| 1  | GS1PN420700L2042<br>P9CC  | 20-42         | 55                           | 29.4              | 420/500/600/700                |
| 2  | GS1PN550750L2042<br>P9CC  | 20-42         | 55                           | 31.5              | 550/600/700/750                |
| 3  | GS1PN500650L2042<br>P9CC  | 20-42         | 55                           | 27.3              | 500/550/600/650                |
| 4  | GS1PN600750L2042<br>P9CC  | 20-42         | 55                           | 31.5              | 600/650/700/750                |
| 5  | GS1PN750L2042P9<br>CC     | 20-42         | 55                           | 31.5              | 750 (不带拨码开<br>关)               |
| 6  | GS1PW420700L204<br>2P9CC  | 20-42         | 55                           | 29.4              | 420/500/600/700                |
| 7  | GS1PW550750L204<br>2P9CC  | 20-42         | 55                           | 31.5              | 550/600/700/750                |
| 8  | GS1PW500650L204<br>2P9CC  | 20-42         | 55                           | 27.3              | 500/550/600/650                |
| 9  | GS1PW600750L204<br>2P9CC  | 20-42         | 55                           | 31.5              | 600/650/700/750                |
| 10 | GS1PW750L2042P9<br>CC     | 20-42         | 55                           | 31.5              | 750 (不带拨码开<br>关)               |
| 11 | GS1PN800950L2042<br>P9CC  | 20-42         | 55                           | 39.9              | 800/850/900/950                |
| 12 | GS1PN8501000L204<br>2P9CC | 20-42         | 55                           | 42                | 850/900/950/1000               |
| 13 | GS1PN1000L2042P9<br>CC    | 20-42         | 55                           | 42                | 1000 (不带拨码<br>开关)              |
| 14 | GS1PN10501200L20          | 20-42         | 55                           | 50.4              | 1050/1100/1150/1               |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 2 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|    |                          |       |    |      |                     |
|----|--------------------------|-------|----|------|---------------------|
|    | 42P9CC                   |       |    |      | 200                 |
| 15 | GS1PN1200L2042P9CC       | 20-42 | 55 | 50.4 | 1200 (不带拨码开关)       |
| 16 | GS1PW800950L2042P9CC     | 20-42 | 55 | 39.9 | 800/850/900/950     |
| 17 | GS1PW8501000L2042P9CC    | 20-42 | 55 | 42   | 850/900/950/1000    |
| 18 | GS1PW1000L2042P9CC       | 20-42 | 55 | 42   | 1000 (不带拨码开关)       |
| 19 | GS1PW10501200L2042P9CC   | 20-42 | 55 | 50.4 | 1050/1100/1150/1200 |
| 20 | GS1PW1200L2042P9CC       | 20-42 | 55 | 50.4 | 1200 (不带拨码开关)       |
| 21 | GS1PN12501400L2042P9CC   | 20-42 | 55 | 58.8 | 1250/1300/1350/1400 |
| 22 | GS1PN14501600L2042P9CC   | 20-42 | 55 | 67.2 | 1450/1500/1550/1600 |
| 23 | GS1PN15501700L2042P9CC   | 20-42 | 55 | 71.4 | 1550/1600/1650/1700 |
| 24 | GS1PN1700L2042P9CC       | 20-42 | 55 | 71.4 | 1700 (不带拨码开关)       |
| 25 | GS1PW12501400L2042P9CC   | 20-42 | 55 | 58.8 | 1250/1300/1350/1400 |
| 26 | GS1PW14501600L2042P9CC   | 20-42 | 55 | 67.2 | 1450/1500/1550/1600 |
| 27 | GS1PW15501700L2042P9CC   | 20-42 | 55 | 71.4 | 1550/1600/1650/1700 |
| 28 | GS1PW1700L2042P9CC       | 20-42 | 55 | 71.4 | 1700 (不带拨码开关)       |
| 29 | GS1PN500650L2042P9CC-B01 | 20-42 | 55 | 27.3 | 500/550/600/650     |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 3 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|    |                                |       |    |      |                         |
|----|--------------------------------|-------|----|------|-------------------------|
| 30 | GS1PN600750L2042<br>P9CC-B01   | 20-42 | 55 | 31.5 | 600/650/700/750         |
| 31 | GS1PN750L2042P9<br>CC-B01      | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)        |
| 32 | GS1PW500650L204<br>2P9CC-B01   | 20-42 | 55 | 27.3 | 500/550/600/650         |
| 33 | GS1PW600750L204<br>2P9CC-B01   | 20-42 | 55 | 31.5 | 600/650/700/750         |
| 34 | GS1PW750L2042P9<br>CC-B01      | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)        |
| 35 | GS1PN800950L2042<br>P9CC-B01   | 20-42 | 55 | 39.9 | 800/850/900/950         |
| 36 | GS1PN8501000L204<br>2P9CC-B01  | 20-42 | 55 | 42   | 850/900/950/1000        |
| 37 | GS1PN1000L2042P9<br>CC-B01     | 20-42 | 55 | 42   | 1000 (不带拨码开<br>关)       |
| 38 | GS1PW800950L204<br>2P9CC-B01   | 20-42 | 55 | 39.9 | 800/850/900/950         |
| 39 | GS1PW8501000L20<br>42P9CC-B01  | 20-42 | 55 | 42   | 850/900/950/1000        |
| 40 | GS1PW1000L2042P<br>9CC-B01     | 20-42 | 55 | 42   | 1000 (不带拨码开<br>关)       |
| 41 | GS1PN10501200L20<br>42P9CC-B01 | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200 |
| 42 | GS1PN1200L2042P9<br>CC-B01     | 20-42 | 55 | 50.4 | 1200 (不带拨码开<br>关)       |
| 43 | GS1PW10501200L2<br>042P9CC-B01 | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200 |
| 44 | GS1PW1200L2042P<br>9CC-B01     | 20-42 | 55 | 50.4 | 1200 (不带拨码开<br>关)       |
| 45 | GS2PN450670L2042               | 20-42 | 55 | 28.1 | 450/550/580/670         |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 4 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|    |                            |       |    |      |                  |
|----|----------------------------|-------|----|------|------------------|
|    | P9CC                       |       |    |      |                  |
| 46 | GS2PN500700L2042<br>P9CC   | 20-42 | 55 | 29.4 | 500/600/620/700  |
| 47 | GS2PN550700L2042<br>P9CC   | 20-42 | 55 | 29.4 | 550/600/650/700  |
| 48 | GS2PN600750L2042<br>P9CC   | 20-42 | 55 | 31.5 | 600/650/700/750  |
| 49 | GS2PN750L2042P9<br>CC-1    | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关) |
| 50 | GS2PW450670L204<br>2P9CC   | 20-42 | 55 | 28.1 | 450/550/580/670  |
| 51 | GS2PW500700L204<br>2P9CC   | 20-42 | 55 | 29.4 | 500/600/620/700  |
| 52 | GS2PW550700L204<br>2P9CC   | 20-42 | 55 | 29.4 | 550/600/650/700  |
| 53 | GS2PW600750L204<br>2P9CC   | 20-42 | 55 | 31.5 | 600/650/700/750  |
| 54 | GS2PW750L2042P9<br>CC-1    | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关) |
| 55 | GS2/1PN450670L20<br>42P9CC | 20-42 | 55 | 28.1 | 450/550/580/670  |
| 56 | GS2/1PN500700L20<br>42P9CC | 20-42 | 55 | 29.4 | 500/600/620/700  |
| 57 | GS2/1PN550700L20<br>42P9CC | 20-42 | 55 | 29.4 | 550/600/650/700  |
| 58 | GS2/1PN600750L20<br>42P9CC | 20-42 | 55 | 31.5 | 600/650/700/750  |
| 59 | GS2/1PN750L2042P<br>9CC-1  | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关) |
| 60 | GS2/1PW450670L20<br>42P9CC | 20-42 | 55 | 28.1 | 450/550/580/670  |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 5 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|    |                            |       |    |      |                                     |
|----|----------------------------|-------|----|------|-------------------------------------|
| 61 | GS2/1PW500700L20<br>42P9CC | 20-42 | 55 | 29.4 | 500/600/620/700                     |
| 62 | GS2/1PW550700L20<br>42P9CC | 20-42 | 55 | 29.4 | 550/600/650/700                     |
| 63 | GS2/1PW600750L20<br>42P9CC | 20-42 | 55 | 31.5 | 600/650/700/750                     |
| 64 | GS2/1PW750L2042P<br>9CC-1  | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)                    |
| 65 | GS2PN400750L2042<br>P9CC   | 20-42 | 55 | 31.5 | 400/450/500/550<br>/600/650/700/750 |
| 66 | GS2PN750L2042P9<br>CC      | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)                    |
| 67 | GS2PN420770L2042<br>P9CC   | 20-42 | 55 | 32.3 | 420/470/520/570<br>/620/670/720/770 |
| 68 | GS2PN770L2042P9<br>CC      | 20-42 | 55 | 32.3 | 770 (不带拨码开<br>关)                    |
| 69 | GS2PW400750L204<br>2P9CC   | 20-42 | 55 | 31.5 | 400/450/500/550<br>/600/650/700/750 |
| 70 | GS2PW750L2042P9<br>CC      | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)                    |
| 71 | GS2PW420770L204<br>2P9CC   | 20-42 | 55 | 32.3 | 420/470/520/570<br>/620/670/720/770 |
| 72 | GS2PW770L2042P9<br>CC      | 20-42 | 55 | 32.3 | 770 (不带拨码开<br>关)                    |
| 73 | GS2/1PN400750L20<br>42P9CC | 20-42 | 55 | 31.5 | 400/450/500/550<br>/600/650/700/750 |
| 74 | GS2/1PN750L2042P<br>9CC    | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)                    |
| 75 | GS2/1PN420770L20<br>42P9CC | 20-42 | 55 | 32.3 | 420/470/520/570<br>/620/670/720/770 |
| 76 | GS2/1PN770L2042P           | 20-42 | 55 | 32.3 | 770 (不带拨码开                          |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 6 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|    |                            |       |    |      |                                     |
|----|----------------------------|-------|----|------|-------------------------------------|
|    | 9CC                        |       |    |      | 关)                                  |
| 77 | GS2/1PW400750L20<br>42P9CC | 20-42 | 55 | 31.5 | 400/450/500/550<br>/600/650/700/750 |
| 78 | GS2/1PW750L2042P<br>9CC    | 20-42 | 55 | 31.5 | 750 (不带拨码开<br>关)                    |
| 79 | GS2/1PW420770L20<br>42P9CC | 20-42 | 55 | 32.3 | 420/470/520/570<br>/620/670/720/770 |
| 80 | GS2/1PW770L2042P<br>9CC    | 20-42 | 55 | 32.3 | 770 (不带拨码开<br>关)                    |
| 81 | GS2PN800950L2042<br>P9CC   | 20-42 | 55 | 39.9 | 800/850/900/950                     |
| 82 | GS2PN8501000L204<br>2P9CC  | 20-42 | 55 | 42   | 850/900/950/1000                    |
| 83 | GS2PN1000L2042P9<br>CC     | 20-42 | 55 | 42   | 1000 (不带拨码<br>开关)                   |
| 84 | GS2PN10501200L20<br>42P9CC | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200             |
| 85 | GS2PN1200L2042P9<br>CC     | 20-42 | 55 | 50.4 | 1200 (不带拨码<br>开关)                   |
| 86 | GS2PW800950L204<br>2P9CC   | 20-42 | 55 | 39.9 | 800/850/900/950                     |
| 87 | GS2PW8501000L20<br>42P9CC  | 20-42 | 55 | 42   | 850/900/950/1000                    |
| 88 | GS2PW1000L2042P<br>9CC     | 20-42 | 55 | 42   | 1000 (不带拨码<br>开关)                   |
| 89 | GS2PW10501200L2<br>042P9CC | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200             |
| 90 | GS2PW1200L2042P<br>9CC     | 20-42 | 55 | 50.4 | 1200 (不带拨码<br>开关)                   |
| 91 | GS2/1PN800950L20<br>42P9CC | 20-42 | 55 | 39.9 | 800/850/900/950                     |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 7 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|     |                              |       |    |      |                         |
|-----|------------------------------|-------|----|------|-------------------------|
| 92  | GS2/1PN8501000L2<br>042P9CC  | 20-42 | 55 | 42   | 850/900/950/1000        |
| 93  | GS2/1PN1000L2042<br>P9CC     | 20-42 | 55 | 42   | 1000 (不带拨码<br>开关)       |
| 94  | GS2/1PN10501200L<br>2042P9CC | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200 |
| 95  | GS2/1PN1200L2042<br>P9CC     | 20-42 | 55 | 50.4 | 1200 (不带拨码<br>开关)       |
| 96  | GS2/1PW800950L20<br>42P9CC   | 20-42 | 55 | 39.9 | 800/850/900/950         |
| 97  | GS2/1PW8501000L2<br>042P9CC  | 20-42 | 55 | 42   | 850/900/950/1000        |
| 98  | GS2/1PW1000L2042<br>P9CC     | 20-42 | 55 | 42   | 1000 (不带拨码<br>开关)       |
| 99  | GS2/1PW10501200L<br>2042P9CC | 20-42 | 55 | 50.4 | 1050/1100/1150/1<br>200 |
| 100 | GS2/1PW1200L2042<br>P9CC     | 20-42 | 55 | 50.4 | 1200 (不带拨码<br>开关)       |
| 101 | GS2PN12501400L20<br>42P9CC   | 20-42 | 55 | 58.8 | 1250/1300/1350/1<br>400 |
| 102 | GS2PN14501600L20<br>42P9CC   | 20-42 | 55 | 67.2 | 1450/1500/1550/1<br>600 |
| 103 | GS2PN15501700L20<br>42P9CC   | 20-42 | 55 | 71.4 | 1550/1600/1650/1<br>700 |
| 104 | GS2PN1700L2042P9<br>CC       | 20-42 | 55 | 71.4 | 1700 (不带拨码<br>开关)       |
| 105 | GS2PW12501400L2<br>042P9CC   | 20-42 | 55 | 58.8 | 1250/1300/1350/1<br>400 |
| 106 | GS2PW14501600L2<br>042P9CC   | 20-42 | 55 | 67.2 | 1450/1500/1550/1<br>600 |
| 107 | GS2PW15501700L2              | 20-42 | 55 | 71.4 | 1550/1600/1650/1        |

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. :2025011002811398

Appendix: Page 8 of 8

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

|     |                          |       |    |      |                     |
|-----|--------------------------|-------|----|------|---------------------|
|     | 042P9CC                  |       |    |      | 700                 |
| 108 | GS2PW1700L2042P9CC       | 20-42 | 55 | 71.4 | 1700（不带拨码开关）        |
| 109 | GS2/1PN12501400L2042P9CC | 20-42 | 55 | 58.8 | 1250/1300/1350/1400 |
| 110 | GS2/1PN14501600L2042P9CC | 20-42 | 55 | 67.2 | 1450/1500/1550/1600 |
| 111 | GS2/1PN15501700L2042P9CC | 20-42 | 55 | 71.4 | 1550/1600/1650/1700 |
| 112 | GS2/1PN1700L2042P9CC     | 20-42 | 55 | 71.4 | 1700（不带拨码开关）        |
| 113 | GS2/1PW12501400L2042P9CC | 20-42 | 55 | 58.8 | 1250/1300/1350/1400 |
| 114 | GS2/1PW14501600L2042P9CC | 20-42 | 55 | 67.2 | 1450/1500/1550/1600 |
| 115 | GS2/1PW15501700L2042P9CC | 20-42 | 55 | 71.4 | 1550/1600/1650/1700 |
| 116 | GS2/1PW1700L2042P9CC     | 20-42 | 55 | 71.4 | 1700（不带拨码开关）        |

输入: 220-240V~ 50/60Hz

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.